Journal of Non-Crystalline Solids 147&148 (1992) ix–xvi
North-Holland

Contents

Preface vii
Committees and sponsors viii
Contents ix

PART A: FUNDAMENTAL

Section 1. Sol–gel chemistry

Molecular design of alkoxide precursors for the synthesis of hybrid organic–inorganic gels (*Invited paper*)
C. Sanchez and M. In 1

Hydrolysis–condensation mechanism of a two-step sol–gel process of mixtures of TEOS and TEOG
T.N.M. Bernards, M.J. van Bommel, E.W.J.L. Oomen and A.H. Boonstra 13

Sol–gel synthesis of phosphates
J. Livage, P. Barboux, M.T. Vandenborre, C. Schmutz and F. Taulelle 18

Polysiloxane formation from a tetraethoxysilane–ethyl alcohol–oxalic acid system
Y. Sugahara, S. Sato, K. Kuroda and C. Kato 24

Hydrolysis of tetraethoxysilane in a liquid crystal, in a microemulsion and in a solution
S.E. Friberg and Z. Ma 30

Molecular routes to ternary metal oxides: Pb : Ti heterometallic oxoisopropoxide as a precursor to $PbTiO_3$
R. Papiernik, L.G. Hubert-Pfalzgraf and F. Chaput 36

Section 2. Gel formation

Effect of ultrasound on the formation of ZrO_2 sols and wet gels
D. Chaumont, A. Craievich and J. Zarzycki 41

Preparation and properties of silicon-containing hybrid gels from vinyltrimethoxysilane
Y. Abe, T. Namiki, K. Tuchida, Y. Nagao and T. Misono 47

Thermal reactions occurring during pyrolysis of crosslinked polysiloxane gels, precursors to silicon oxycarbide glasses
V. Belot, R.J.P. Corriu, D. Leclercq, P.H. Mutin and A. Vioux 52

Map of gel times for three phase region tetraethoxysilane, ethanol and water
S.Y. Chang and T.A. Ring 56

Synthesis and characterization of siloxane–titania materials
S. Diré, F. Babonneau, G. Carturan and J. Livage 62

Effect of electrolyte on the gelation and aggregation of SnO_2 colloidal suspensions
R.S. Hiratsuka, C.V. Santilli, D.V. Silva and S.H. Pulcinelli 67

Elaboration and characterization of lead perovskites from colloidal solution
A. Larbot, H. Bali, M. Rafiq, A. Julbe, C. Guizard and L. Cot 74

0022-3093/92/$05.00 © 1992 – Elsevier Science Publishers B.V. All rights reserved

The influence of cross-linking on gel formation
M.J. van Bommel, T.N.M. Bernards, E.W.J.L. Oomen and A.H. Boonstra 80
Study of sol–gel transition during hafnium alkoxide hydrolysis
A. Larbot, T. Hours, P. Bergez, J. Charpin and L. Cot 85
Titania gels: aggregation and gelation kinetics
S. Lebon, J. Marignan and J. Appell 92
Characterisation of sol–gel glasses using optical probes
C. McDonagh, G. Ennis, P. Marron, B. O'Kelly, Z.R. Tang and J.F. McGilp 97
The gelation behaviour of copper ethoxide
W. Weng, Z. Ding, Y. Mao and F. Zhang 102

Section 3. Advanced method of characterization

EPR spectroscopy on sol–gel glasses (*Invited paper*)
G. Kordas 106
Surface chemistry of multicomponent silicate gels (*Invited paper*)
D.S. Wang and C.G. Pantano 115
Waveguide Raman spectroscopy of TiO_2 : SiO_2 thin films
M. Bahtat, J. Mugnier, C. Bovier, H. Roux and J. Serughetti 123
A SAXS study of the formation of ZrO_2 sols and gels
D. Chaumont, A. Craievich and J. Zarzycki 127
EXAFS and XANES study of (Si, Ge) mullite gels and glasses prepared by slow hydrolysis of alkoxides
P. Colomban, D.J. Jones, D. Grandjean and A.-M. Flank 135
Study of porous texture of silica and silica–alumina hydrogels using experimental design theory
G. Dessalces, I. Biay, F. Kolenda, J.F. Quinson and J.P. Reymond 141
^{57}Fe Mössbauer effect in sol–gel silicate glasses
M.G. Ferreira da Silva, J.C. Waerenborgh, J.M.F. Navarro and J.M.P. Cabral 146
Structural characterization and phase developmentof sol–gel-derived mullite and its precursors
T. Heinrich and F. Raether 152
Porous texture of a titanium oxide gel: evolution as a function of medium used
A. Larbot, I. Laaziz, J. Marignan and J.F. Quinson 157
Study of SnO_2 gels by Eu^{3+} fluorescence spectroscopy
S.J.L. Ribeiro, R.S. Hiratsuka, A.M.G. Massabni, M.R. Davolos, C.V. Santilli and S.H. Pulcinelli 162
^{1}H NMR studies of tetramethylorthosilicate (TMOS) alcoholysis by isopropyl alcohol
A. Sivade, D. Bourret, R. Sempéré and J. Bouaziz 167
Porous fractal gels: secondary effects in SEC
I. Porcar, R. García, V. Soria, A. Campos and J.E. Figueruelo 170

Section 4. Gel structure

Structure of dense gels (*Invited paper*)
J. Zarzycki 176
Twofold description of the morphology of colloid aggregates and other complex structures
V. Mayagoitia, A. Domínguez and F. Rojas 183
SAXS study of gelation and precipitation in titanium-based systems
M. Kallala, C. Sanchez and B. Cabane 189
Ultrastructural aspects of sonogels
M.C. Barrera-Solano, N. de la Rosa-Fox and L. Esquivias 194

Influence of hydrolysis conditions on crystallization, phase transitions and sintering of zirconia gels prepared by alkoxide hydrolysis
P. Colomban and E. Bruneton 201
Ultrastructural evolution during gelation of TiO_2–SiO_2 sols
M. Ramírez-del-Solar, L. Esquivias, A.F. Craievich and J. Zarzycki 206

Section 5. Growth reactions, densification and crystallization

Chemistry–crystallization relations in molecular mullite gels (*Invited paper*)
J.C. Huling and G.L. Messing 213
Structure tailoring of alkoxide silica
J.Y. Ying and J.B. Benziger 222
The evolution of TEOS to silica gel and glass by vibrational spectroscopy
M.C. Matos, L.M. Ilharco and R.M. Almeida 232
SAXS study of growth kinetics of fractal aggregates in TEOS–water–alcohol solutions with formamide
E. Blanco, M. Ramírez-del-Solar, N. de la Rosa-Fox and A.F. Craievich 238
Sintering of alumina and mullites prepared by slow hydrolysis of alkoxides: the role of the protonic species and pore topology
P. Colomban and V. Vendange 245
Raman study of gel–glass transformation in base-catalyzed silica
K. Dahmouche, A. Boukenter, C. Bovier, J. Dumas, E. Duval and J. Serughetti 251
TiO_2–SiO_2 glasses prepared by the alkoxide route
I.M. Miranda Salvado and J.M. Fernandez Navarro 256
Kinetic study of crystallization in zirconium titanate from an amorphous reactive prepared precursor
M. Macias, P.J. Sanchez-Soto and J.A. Navio 262
Crystallization of lead titanate $PbTiO_3$ in gel-derived solder glasses
J. Marillet and D. Bourret 266

PART B: PROCESSING OF SOLS AND GELS

Section 6. Processing methods

Rubbery ormosils and their applications (*Invited paper*)
J.D. Mackenzie, Y.J. Chung and Y. Hu 271
Silicon oxycarbides via sol–gel route: characterization of the pyrolysis process
F. Babonneau, L. Bois and J. Livage 280
Sol–gel-derived lead titanate films
N.J. Phillips, M.L. Calzada and S.J. Milne 285
Dual-porosity silica gels by polymer-incorporated sol–gel process
K. Nakanishi, R. Takahashi and N. Soga 291
Processing of silica xerogels using sonocatalysis and an additive
E. Blanco, N. de la Rosa-Fox, L. Esquivias and A.F. Craievich 296
Preparation and characterization of gels with garnet structure: $A_3B_2C_3O_{12}$, using 'non-classical' solvents
J. Carda, S. Rodriguez, G. Monrós, M.A. Tena, P. Escribano and J. Alarcón 303
Preparation of oxynitride silicon glasses. Nitridation of functional silica xerogels
V. Belot, R. Corriu, D. Leclercq, P.H. Mutin and A. Vioux 309

Sol–gel processing of an entirely new family of mixed valence glasses
A. Chemseddine 313
Colloidal suspensions for the preparation of ceramics by a freeze casting route
J. Laurie, C.M. Bagnall, B. Harris, R.W. Jones, R.G. Cooke, R.S. Russell-Floyd, T.H. Wang and F.W. Hammett 320
Photoinduced formation of silver colloids in a borosilicate sol–gel system
M. Mennig, J. Spanhel, H. Schmidt and S. Betzholz 326
Oxidation of small-sized CdS crystals in sol–gel-derived glasses
M. Nogami and K. Nagasaka 331
Sol–gel formation of silica–zirconia glasses
M. Palladino, F. Pirini, M. Beghi, P. Chiurlo, G. Cogliati and L. Costa 335
Drying of SnO_2 hydrogels: effect of the electrolyte
R.T. Presecatan, S.H. Pulcinelli and C.V. Santilli 340
Aminoalkoxide sol–gel coating of transition metal oxide films
Y. Takahashi and H. Hayashi 346
Preparation of SiO_2–TiO_2–ZrO_2 gel glasses and coatings by means of modified alkoxide solutions
U. Wellbrock, W. Beier and G.H. Frischat 350

Section 7. Aerogels and xerogels

Aerogels and their applications (*Invited paper*)
J. Fricke 356
Recent progress in drying of gels (*Invited paper*)
G.W. Scherer 363
Drying process in the formation of sol–gel-derived TiO_2 ceramic membrane
K.-N.P. Kumar, V.T. Zaspalis, K. Keizer and A.J. Burggraaf 375
An investigation of the structure of colloidal aerogels
M. Foret, J. Pelous, R. Vacher and J. Marignan 382
Preparation and physical properties of V_2O_5 aerogel
K. Sudoh and H. Hirashima 386
Texture evolution of zirconium oxide xerogels prepared by sol–gel process
A.J. Lecloux, E. François, A. Mohsine, F. Noville and J.-P. Pirard 389

PART C: DERIVED MATERIALS

Section 8. Fibers

Fibers from gels (*Invited paper*)
S. Sakka and T. Yoko 394
Characterization of sol–gel derived coatings on optical fibers
M. Kubeckova, M. Sedlar and V. Matejec 404

Section 9. Thin films and coatings

Electrical and optical properties of chemically derived ferroelectric films (*Invited paper*)
D.R. Uhlmann, G. Teowee, J.M. Boulton, S. Motakef and S.C. Lee 409
Review of sol–gel thin film formation (*Invited paper*)
C.J. Brinker, A.J. Hurd, P.R. Schunk, G.C. Frye and C.S. Ashley 424
Characterization of SiO_2 films on glass substrate by sol–gel and vacuum deposition methods
Y. Katayama, E. Ando and T. Kawaguchi 437

Selective formation of thin film iron garnet by complexing agent-assisted sol–gel processing
K. Kojima, F. Mizukami, M. Miyazaki and K. Maeda 442
Fine patterning of thin sol–gel films
H. Krug, N. Merl and H. Schmidt 447
Nitridation of SiO_2–TiO_2 sol–gel coatings by ammonolysis and ion implantation
M. Guglielmi, P. Colombo, G. Battaglin, P. Mazzoldi, A. De Polo, A. Boscolo-Boscoletto and G. Granozzi 451
Laser processing of sol–gel coatings
D.J. Taylor and B.D. Fabes 457
Sol–gel preparation of YIG ($Y_3Fe_5O_{12}$) thin film showing opto-magnetic effect
T. Tsuchiya, T. Sei and H. Kanda 463
Thick aluminosilicate coatings on carbon steel via sol–gel
A.R. Di Giampaolo Conde, M. Puerta, H. Ruiz and J.L. Olivares 467
Borosilicate coatings on mild steel
M. Guglielmi, D. Festa, P.C. Innocenzi, P. Colombo and M. Gobbin 474
Organic fluorescent dyes in organically modified Al_2O_3–SiO_2 or TiO_2–SiO_2 coatings with varying polymethylmethacrylate content
A. Hinsch 478
Influence of firing conditions on adhesion of methyltrialkoxysilane-derived coatings on steel sheets
K. Izumi, H. Tanaka, Y. Uchida, N. Tohge and T. Minami 483
SiO_2 thin films deposited by a new sol–gel technique
M. Langlet, D. Walz, P. Marage and J.C. Joubert 488
Synthesis and properties of tantalum oxide films prepared by the sol–gel method using photo-irradiation
T. Ohishi, S. Maekawa and A. Katoh 493
SiO_2–Nb_2O_5 thin films using sol–gel technology
R. Sempéré, D. Bourret, A. Sivade, P. Etienne and J. Bouaziz 499
Film formation and sintering of colloidal monoclinic zirconia
H. Vesteghem, A. Lecomte and A. Dauger 503

Section 10. Glasses, ceramics, powders, membranes and composites

Sol–gel glasses for optics and electro-optics (*Invited paper*)
D. Levy 508
Ceramic membranes from sol–gel technology
M. Galán, J. Llorens, J.M. Gutiérrez, C. González and C. Mans 518
Cordierite–ZrO_2 and cordierite–Al_2O_3 composites obtained by sonocatalytic methods
M. Piñero, M. Atik and J. Zarzycki 523
Synthesis of monoclinic celsian glass-ceramic from alkoxides
M. Chen, W.E. Lee and P.F. James 532
Preparation of spherical powders of hydroxyapatite by sol–gel process
A. Deptuła, W. Łada, T. Olczak, A. Borello, C. Alvani and A. di Bartolomeo 537
Tetragonal zirconia powders from the zirconium *n*-propoxide–acetylacetone–water–isopropanol system
R. Guinebretière, A. Dauger, A. Lecomte and H. Vesteghem 542
Nanoparticulate alumina, silica and aluminosilicate membranes
G. Sheng, L. Chu, W.A. Zeltner and M.A. Anderson 548
Synthesis of cordierite powder by spray-drying
A. Douy 554

Enstatite ceramics: a multicomponent system via sol–gel
L.M. Echeverría 559
Ultrafine pure mullite powder prepared by sol–gel method
M. Ge, H. Yang, Z. Jiang, Y. Wang and F. Zhang 565
Sol–gel processing of TeO_2 powders
A. Pierre, F. Duboudin, B. Tanguy and J. Portier 569
Photoconductivity of PbO-doped borosilicate glass prepared by the sol–gel process
W. Granier, K. Jabobker, A. Pradel and M. Pham Thi 574
The production of small colloidal silver particles in thin SiO_2 sol–gel glass layers
A. Hinsch and A. Zastrow 579
Sintering of titania–silica powder compacts with a bimodal pore-size distribution
W.T. Minehan, M.R. Schaefer and G.L. Messing 582
Synthesis and characterization of V_2O_5–SiO_2–ZrO_2 pigments by sol–gel method
G. Monrós, J. Carda, M.A. Tena, P. Escribano, M. Sales and J. Alarcón 588
Preparation and processing of metal–ceramic composite materials
J. Petrullat, S. Ray, U. Schubert, G. Guldner, C. Egger and B. Breitscheidel 594
Ultrafine alumina powders via a sol–emulsion–gel method
E. Ponthieu, E. Payen and J. Grimblot 598

PART D: PROPERTIES

Section 11. Optical and electro-optical properties

Variable refractive index systems by sol–gel process (*Invited paper*)
M. Yamane and M. Inami 606
Thermochemically induced photoluminescence in sol–gel-derived oxide networks (*Invited paper*)
B.E. Yoldas 614
Preparation and optical properties of spherical metal oxide particles containing fluorescent dyes
M. Ocaña, D. Levy and C.J. Serna 621
Optically active doped xerogel
M. Canva, P. Georges, G. Le Saux, A. Brun, F. Chaput and J.-P. Boilot 627
Preparation of quantum-size CdS-doped Na_2O–B_2O_3–SiO_2 glasses with high non-linearity
T. Takada, T. Yano, A. Yasumori, M. Yamane and J.D. Mackenzie 631
Impregnated SiO_2 gels used as dye laser matrix hosts
M. Canva, P. Georges, A. Brun, D. Larrue and J. Zarzycki 636
Characterization of laser-densified sol–gel films for the fabrication of planar and strip optical waveguides
M. Guglielmi, P. Colombo, L. Mancinelli Degli Esposti, G.C. Righini, S. Pelli and V. Rigato . . 641
Glass dispersed liquid crystals for electro-optical devices
D. Levy, J.M.S. Pena, C.J. Serna and J.M. Otón 646
Sol–gel preparation and optical properties of silica glasses containing Cd and Zn chalcogenide microcrystals
N. Tohge, M. Asuka and T. Minami 652

Section 12. Electrical and electronical properties

Semiconductor clusters in the sol–gel process: synthesis and properties of CdS nanocomposites
L. Spanhel, E. Arpac and H. Schmidt 657

Electrical conductivity of dry silica gel under high pressure
H. Sodolski, P. Mondalski, J. Godlewski and J. Kalinowski 663
Effect of lithium salts on the ionic conductivity of lithium silicate gels
H. Wakamatsu, S.-P. Szu, L.C. Klein and M. Greenblatt 668

Section 13. Rheological, mechanical and other properties

Evolution of mechanical properties during the alcogel–aerogel–glass process (*Invited paper*)
T. Woignier, J. Phalippou, H. Hdach, G. Larnac, F. Pernot and G.W. Scherer 672
Sol-to-gel transition in reversed micelle microemulsions. III. Rheology
C. Guizard, J.C. Achddou, A. Larbot and L. Cot 681
^{29}Si NMR and viscosity study of the sol–gel transition and evolution after the gel time
L. Malier, F. Devreux, F. Chaput, J.P. Boilot and M.A.V. Axelos 686
Rheology of alumina sols
C. González, J. Gutiérrez, J. Llorens, M.I. Galán and C. Mans 690
Viscosity behaviour of SiO_2–ZrO_2 gelling solutions: effect of acetic anhydride addition
U. Brenna, V.M. Sglavo, G.D. Sorarù and G. Carturan 695
Silica alcogels prepared under neutral conditions: hypercritical treatment effect on textural and mechanical properties
J.F. Quinson, M. Pauthe, M. Lacroix, T. Woignier, J. Phalippou and H. Hdach 699

PART E: APPLICATIONS

Section 14. Superconductors

Synthesis of $YBa_2Cu_3O_{6+x}$ from coprecipitated hydroxides (*Invited paper*)
P. Barboux, I. Campion, S. Daghish, J. Livage, J.L. Genicon, A. Sulpice and R. Tournier 704
High temperature superconducting BSCCO thin film from sol–gel process and properties
T. Sei, T. Okano and T. Tsuchiya 711
Solution-based processing of $YBa_2Cu_3O_x$ superconducting thin films
Y.X. Yang, M.A. Howson and S.J. Milne 715
Preparation of Y–Ba–Cu oxide precursor by the citrate gel process
A. Aoki, S. Ohno and Y. Muramatsu 720

Section 15. Catalysts

Application of the sol–gel methods to catalyst preparation (*Invited paper*)
M.A. Cauqui and J.M. Rodríguez-Izquierdo 724
Biocatalysis by sol–gel entrapped enzymes
S. Braun, S. Shtelzer, S. Rappoport, D. Avnir and M. Ottolenghi 739
Aerogels and xerogels for catalytic applications
R. Tleimat-Manzalji, T. Manzalji and G.M. Pajonk 744
Synthesis, characterization and activity of Pt–Sn/Al_2O_3 sol–gel catalysts
R. Gómez, V. Bertin, M.A. Ramirez, T. Zamudio, P. Bosch, I. Schifter and T. López 748
Synthesis and spectroscopic characterization of Pt and Pd silica supported catalysts
T. López, M. Morán, J. Navarrete, L. Herrera and R. Gómez 753
Preparation of rhodium catalysts dispersed on TiO_2–SiO_2 aerogels
M.A. Cauqui, J.J. Calvino, G. Cifredo, L. Esquivias and J.M. Rodríguez-Izquierdo 758

Characterization of alumina-based hydrotreated catalysts prepared by sol–gel methods
E. Etienne, E. Ponthieu, E. Payen and J. Grimblot 764
Catalytic properties of silico-aluminates prepared by the sol–gel method: isopropanol dehydration
T. López, M. Asomoza and R. Gómez 769
Support effect in ruthenium sol–gel catalysts on silica and alumina
T. López, L. Herrera, J. Mendez-Vivar, P. Bosch, R. Gómez and R.D. Gonzalez 773
Study of rhodium-supported catalysts prepared via the sol–gel method
T. López, J. Mendez-vivar and R. Juarez 778

Section 16. Other applications

Sol–gel processing in electronic packaging materials (*Invited paper*)
S.P. Mukherjee, D. Suryanarayana and D.H. Strope 783
Electrochromic smart windows
M.A. Macêdo, L.H. Dall'Antonia, B. Valla and M.A. Aegerter 792
Second harmonic generation from $PbTiO_3$-based ferroelectric thin films
G. Teowee, J.M. Boulton, W.M. Bommersbach and D.R. Uhlmann 799
ZnO varistors produced using colloidal-gel powders
M.C.S. Nóbrega, M.S. Zolotar, W.A. Mannheimer and A. Espínola 803
Spectrophotometric detection of heavy metals by doped sol–gel glass detectors
B. Iosefzon-Kuyavskaya, I. Gigozin, M. Ottolenghi, D. Avnir and O. Lev 808
Corrosion resistant sol–gel ZrO_2 coatings on stainless steel
M. Atik and M.A. Aegerter 813

PART F: PROSPECTS

Section 17. Prospects

The formation of unusual glasses by sol–gel processing
E.D. Zanotto 820

Author index 825
Subject index 834